

# REST API Authentication

Since 5.0, two authentication methods are supported: session, and basic.

**Session based authentication** is meant to be used for AJAX operations. It will let you re-use the visitor's session to execute operations with their permissions.

**Basic authentication** is often used when writing cross-server procedures, when one remote application executes operations on one/several eZ Publish instances (remote publishing, maintenance, etc).

The default authentication method in 5.x is Basic authentication. As of release 2015.01, Session has been changed to be default.

## Session based authentication

This authentication method requires a Session cookie to be sent with each request.

If this authentication method is used with a web browser, this session cookie is automatically available as soon as your visitor logs in. Add it as a cookie to your REST requests, and the user will be authenticated.

## Setting it up

Not needed as of 2015.01 release as default is now Session.

To enable session based authentication, you need to edit `ezpublish/config/security.yml`, and comment out / remove the configuration block about Basic Auth (shown in the following section).

### Important

As of 5.3 / 2014.04, you also need to add the following configuration in your `ezpublish/config/security.yml`:

```
--- a/ezpublish/config/security.yml
+++ b/ezpublish/config/security.yml
@@ -33,6 +33,7 @@ security:
     ezpublish_front:
         pattern: ^/
         anonymous: ~
+    ezpublish_rest_session: ~
     form_login:
         require_previous_session: false
     logout: ~
```

## Logging in

It is also possible to create a session for the visitor if he isn't logged in yet. This is done by sending a **POST** request to `/user/sessions`. Logging out is done using a **DELETE** request on the same resource.

### More information

[Session based authentication chapter of the REST specifications](#)

## HTTP Basic authentication

To enable HTTP Basic authentication, you need to edit `ezpublish/config/security.yml`, and add/uncomment the following block. Note

that this is enabled by default.

### ezpublish.yml

```
ezpublish_rest:  
  pattern: ^/api/ezp/v2  
  stateless: true  
  ezpublish_http_basic:  
    realm: eZ Publish REST API
```

Basic authentication requires the username and password to be sent (*username:password*), based 64 encoded, with each request, as explained in RFC 2617.

Most HTTP client libraries as well as REST libraries do support this method one way or another.

### Raw HTTP request with basic authentication

```
GET / HTTP/1.1  
Host: api.example.com  
Accept: application/vnd.ez.api.Root+json  
Authorization: Basic QWxhZGRpbjpvcmVudGVuIHNLc2FtZQ==
```